

Rongsheng Three-Lows Brick Furnace Refractory Bricks For Glass Furnace

Our Product Introduction

for more products please visit us on bricksrefractory.com

Basic Information

- Place of Origin: Zhengzhou, China
- Brand Name: Rongsheng Xinwei
- Certification: ISO9001
- Model Number: RSZSM-85
- Minimum Order Quantity: 1 Ton
- Price: 200-800 USD
- Packaging Details: Packed on wooden pallets, with water-proof cover, and tightened with plastic/steel bandages
- Delivery Time: 10-20 Days
- Payment Terms: TT; L/C
- Supply Ability: 2000 tons/month



Product Specification

- Features: Excellent Acid Resistance
- Thermal Conductivity: $\leq 1.5\text{W/m}\cdot\text{K}$
- Condition: Brand New
- Material: Refractory Clay
- Refractoriness: ≥ 1580
- Feature: High Refractoriness
- Softening Temperature: High/Medium/Low
- Shape: Rectangular
- Abrasion Resistance: Excellent
- Chemical Composition: High, Medium, Low
- Raw Material: High Alumina Content Bauxite
- Modle Number: As Required
- Service Temperature: High
- Al_2O_3 Content: $\geq 42\%$
- Size: $230 \times 114 \times 65\text{mm}$



Our Product Introduction

Product Description

Product Description of Rongsheng Three-Lows Brick Furnace Refractory Bricks For Glass Furnace

Three lows refers to low porosity, low iron and low creep. This brick is made of high-quality calcined claymulle and three-stone as the main raw materials, combined with composite ultratine powder and specific additives through high pressure forming and high temperature sintering. It has the advantages of strong corrosion resistance at high temperature, low creep rate at medium and high temperature, high crushing strength and high refractoriness under load. It is mainly used for the upper partition wall of the regenerator of glass kilns.

Product Specification of Rongsheng Three-Lows Brick Furnace Refractory Bricks For Glass Furnace

Item	RSZSM-85
$\text{Al}_2\text{O}_3, \% \geq$	45
$\text{Fe}_2\text{O}_3, \% \leq$	1.0
$\text{BD}, \text{g/cm}^3 \geq$	2.40
$\text{AP}, \% \leq$	10
$\text{CCS}, \text{MPa} \geq$	80
$0.2\text{MPa RUL}, \geq$	1540

Creep Rate 1200 x50h,% ≤	0.05
TSR(1100 , Water Cooling) ≥	10



Henan Rongsheng Xinwei New Materials Research Institute Co., Ltd



+86-18538509097



Jackyhan2023@outlook.com



bricksrefractory.com

11th Floors, Building 6, China Central Electronic Commerce Port, Daxue Road, Zhengzhou, Henan, China