Our Product Introdu

Sk32 Sk34 Sk36 Fireclay Refractory Ce **Approved**

Basic Information

• Place of Origin: Zhengzhou ,China . Brand Name: Rongsheng Xinwei

• Certification: ISO9001

 Model Number: SK-32, SK-34, SK-36

 Minimum Order Quantity: 1 Ton • Price: 200-800USD

• Packaging Details: packed on wooden pallets, with water-proof

cover, and tightened with plastic/steel bandages

10-20 Days • Delivery Time: TT; L/C • Payment Terms:

2000 tons /month • Supply Ability:



Product Specification

• Chemical Resistance: High • Color: Yellow Cost: Moderate • Durability: High • Fire Resistance: High • Frost Resistance: High • Heat Resistance: High • Impact Resistance: High Clay Material: • Moisture Resistance: High Shape: Rectangle Size: Standard Texture: Smooth • Thickness: 2 Inches . Weight: Heavy



More Images









Product Description

Introduction of Best Price High Temperature Refractory Fire Brick SK32 SK34 SK36 Fireclay Bricks With CE Approved Fireclay brick is made from clinker clay by mixing, forming, drying, sintering and matching characterized by good resistance to corrosion and abrasion, good thermal shock resistance, good spelling resistance, high mechanical strength, good volume stability under high temperature.



Features of Refractory Fireclay Brick High Temperature Resistance

Low Thermal Conductivity Chemical Stability
Abrasion Resistance Good Mechanical Strength Dimensional Stability
Low Porosity
Refractoriness Under Load Easy to Shape Good Thermal Shock Resistance Availability in Various Grades Cost-Effective

Application of Refractory Fire Brick SK32 SK34 SK36 Fireclay Bricks With CE Approved

Low porosity clay bricks can be applied to steel, nonferrous metals, glass, cement, ceramics, pertrifaction, machinery, boiler, light industry, electric power, war industry and other economic filed, which is the indispensable basic material to ensure above production running and technological development, it plays an incomparable important role in the development of high temperature industrial production.

Product Specification of Rongsheng Refractory Fire Clay Brick

Product Specification of Hongsheng Henactory Fire Clay Bric	N.		
Item	Fire Clay Brick SK-32	Fire Clay Brick SK-34	Fire Clay
Al2O3(%)	30	38	
Fe2O3 (%)	3	2.5	
Refractoriness (SK)	32	34	
Refractoriness under load, 0.2MPa, Ta, ((°C)	1300	1350	
Porosity (%)	22-26	19-23	- 1
Bulk density (g/cm³)	2.05	2.10-2.15	2.0
Cold crushing strength (MPa)	25	25	
Thermal expansion at 1000°C (%)	0.6	0.6	

Henan Rongsheng Xinwei New Materials Research Institute Co., Ltd



Jackyhan2023@outlook.com



bricksrefractory.com

11th Floors, Building 6, China Central Electronic Commerce Port, Daxue Road, Zhengzhou, Henan, China