

80% Alumina Refractory Brick 1790°C Alumina Firebrick For High Temp Furnaces

Our Product Introduction

for more products please visit us on bricksrefractory.com

Basic Information

- Place of Origin: Zhengzhou ,China
- Brand Name: Rongsheng Xinwei
- Certification: ISO9001
- Model Number: SK35, SK36,SK37, SK38, SK40
- Minimum Order Quantity: 1 Ton
- Price: 200-800USD
- Packaging Details: packed on wooden pallets, with water-proof cover, and tightened with plastic/steel bandages
- Delivery Time: 20-30DAYS
- Payment Terms: TT; L/C
- Supply Ability: 2000tons /month



Product Specification

- Application: Ceramic Kiln
- Chemical Composition: $Al_2O_3 \geq 48\%$
- Cold Crushing Strength: $\geq 50MPa$
- Color: Red
- Compressive Strength: $\geq 50MPa$
- Density: 2.2-2.4g/cm³
- Material: High Alumina Refractory Brick
- Packaging: Carton Box
- Porosity: $\leq 18\%$
- Refractoriness: ≥ 1700
- Refractoriness Under Load: ≥ 1400
- Shape: Rectangle
- Size: Customized
- Thermal Shock Resistance: Good
- Highlight: 80% Alumina Refractory Brick,

Product Description

Product Description of Rongsheng Factory Supply 80% Alumina Brick SK40 1790 Alumina Fire Bricks For High Temp Furnaces

Rongsheng Sk40 80% Alumina Bricks, with a formidable resistance of up to 1790 , represent the pinnacle of refractory engineering. These high-grade Alumina Fire Bricks are meticulously crafted for application in high-temperature furnaces where durability, reliability, and exceptional thermal stability are paramount.

Our Product Introduction



Key Features of Rongsheng Factory Supply 80% Alumina Brick SK40 1790 Alumina Fire Bricks

Premium Alumina Composition: These bricks are crafted from a superior blend of raw materials, resulting in exceptional thermal stability and resistance to extreme temperatures.

Outstanding High-Temperature Resistance: Engineered to withstand temperatures up to 1790 , these bricks excel in environments where conventional bricks would falter.

Low Thermal Conductivity: These bricks offer superior insulation, effectively minimizing heat loss and improving energy efficiency in high-temperature processes.

High Compressive Strength: With an impressive load-bearing capacity, these bricks maintain their structural integrity even under the heaviest loads.

Excellent Chemical Resistance: These bricks demonstrate remarkable resistance to various chemicals, making them suitable for applications in corrosive environments.

Precision Manufacturing: Each brick is crafted to exacting standards, ensuring uniform dimensions and shapes, simplifying installation and reducing downtime.

Advantages of Rongsheng Factory Supply 80% Alumina Brick SK40 1790 Alumina Fire Bricks

Uncompromising Quality: Rongsheng prides itself on delivering products of the highest quality, ensuring that our 80% Alumina Bricks meet and exceed industry standards.

Extreme Temperature Endurance: With a peak temperature resistance of 1790 , these bricks offer unmatched performance in the most demanding high-temperature environments.

Cost-Effective Solution: Rongsheng's factory pricing model guarantees that you receive top-tier bricks at a competitive price, allowing you to maximize both quality and value.

Extended Service Life: The exceptional durability of these bricks translates to longer service intervals, reducing maintenance costs and downtime in the long run.

Wide Range of Applications: These bricks find utility across various industries, including metallurgy, ceramics, petrochemicals, and more, making them an adaptable solution for high-temperature processes.

Applications of 80% Alumina Brick SK40 1790 Alumina Fire Bricks For High Temp Furnaces

High-Temperature Furnaces

Metallurgical Industry

Ceramics Industry

Petrochemical Industry

Invest in Rongsheng's 80% Alumina Bricks for an unparalleled and cost-effective solution for your high-temperature furnace needs. Contact us today for personalized recommendations and bulk order inquiries.

Tailored Solutions: Rongsheng offers customization options to meet specific project requirements, ensuring that the bricks are optimized for your unique application.

Technical Specifications of Rongsheng Factory Supply 80% Alumina Brick SK40 1790 Alumina Fire Bricks

Item	Index			
International Code Name	SK35	SK36	SK37	SK38
Chinese Code Name	LZ-48	LZ-55	LZ-65	LZ-75
A2O3,%	248	[255	265	[275
Fe2O3,%	s2	s2	s2	s2

Refractoriness' min	1750	1770	1790	179
Apparent Porosity,%	[s22	[s22	s23	[s2
Bulk Density,g/cm3	2.25-2.35	2.25-2.35	2.25-2.35	2,25-2
Cold Crushing Strength Mpa	239	244	249	[25
0.2Mpa Refractoriness Under Load T0.2℃min	21420	21470	21500	215


Henan Rongsheng Xinwei New Materials Research Institute Co., Ltd


[+86-18538509097](tel:+86-18538509097)

Jackyhan2023@outlook.com

bricksrefractory.com

11th Floors, Building 6, China Central Electronic Commerce Port, Daxue Road, Zhengzhou, Henan, China