High Abrasion Resistance Curved Fire Bricks Refractory Brick Round Fire **Clay Bricks**

Basic Information

• Place of Origin: Zhengzhou ,China . Brand Name: Rongsheng Xinwei

• Certification:

Fire Clay Brick SK-32, Fire Clay Brick SK34, Model Number: Fire Clay Brick SK36

Minimum Order Quantity:

• Price: 200-800USD

packed on wooden pallets, with water-proof cover, and tightened with plastic/steel • Packaging Details:

TT; L/C

bandages • Delivery Time: 20-30DAYS

• Supply Ability: 2000tons /month



Product Specification

• Payment Terms:

· Abrasion Resistance: High . Chemical Resistance: High • Color: • Compressive Strength: High • Density: Hiah • Edge: Straight Fire Resistance: High • Flexural Strength: High Hardness: High Material: Clay Shape: Rectangular

Size: Standard • Surface: Smooth • Thermal Conductivity: Low

Low



More Images

Water Absorption:





Product Description

Product Description of High Quality Refractory Brick Manufacturer Provide Curved Round Fire Clay Bricks Clay refractory bricks refer to the clay products of aluminum silicate materials with Al2O3 content of 30%~40%. The refractoriness is up to 1690~1730 . Fireclay Bricks are produced with the kaolinite (Al2O3·2SiO2·2H2O) as the main mineral composition and 6~7% impurities (potassium, sodium, calcium, titanium and ferrous oxide).

Fireclay Bricks belong to faintly acid refractory product that can resist acid slag and gas erosion, but has low resistance to





Features of High Quality Refractory Brick Manufacturer Provide Curved Round Fire Clay Bricks

- 1.Good resistance to corrosion and abrasion;
- 2.Perfect thermal shock resistance;
- 3.Good spalling resistance;

- 4.High mechanical strength;
 5.Good volume stability under high temperature;
 6.Excellent thermal performance, and acid resistance;

Application of High Quality Refractory Brick Manufacturer Provide Curved Round Fire Clay Bricks

It is widely used in metallurgy, building materials, chemical industry, petroleum machinery manufacturing and other industrial fields, and is applicable to heating furnace, soaking pit, heat treatment furnace, blast furnace, hot blast furnace, coke oven, tunnel kiln, rotary kiln, flue and other related parts.

Specifications of High Quality Refractory Brick Manufacturer Provide Curved Round Fire Clay Bricks

Item	Fire Clay Brick SK-32	Fire Clay Brick SK-34	Fire Clay
Al2O3(%)	30	38	
Fe2O3 (%)	3	2.5	
Refractoriness (SK)	32	34	
Refractoriness under load, 0.2MPa, Ta, ((°C)	1300	1350	
Porosity (%)	22-26	19-23	2
Bulk density (g/cm³)	2.05	2.10-2.15	2.0
Cold crushing strength (MPa)	25	25	
Thermal expansion at 1000°C (%)	0.6	0.6	

Henan Rongsheng Xinwei New Materials Research Institute Co., Ltd



S +86-18538509097 Jackyhan2023@outlook.com bricksrefractory.com



11th Floors, Building 6, China Central Electronic Commerce Port, Daxue Road, Zhengzhou, Henan, China