Refractory Lightweight Calcium Silicate Board Corrosion Resistance

Basic Information

• Place of Origin: China

Brand Name: Rongsheng Xinwei

• Certification: ISO9001

Model Number: GSG-1, GSG-2, GSG-3, GSG-4

Minimum Order Quantity: 50 RollsPrice: 10-15USD

• Packaging Details: 1.Standard export packaging; 2.According to

customer's requirements;

Delivery Time: 10-20 DaysPayment Terms: TT; L/C

• Supply Ability: 25000 Rolls Per Day



Product Specification

Corrosion Resistance: Excellent
 Flexibility: Excellent
 Heat Resistance: Good
 Heat Storage Capacity: Low

Length: Various Lengths Material: Ceramic Fiber

Moisture Content: ≤1%

• Quality: ISO9001-2000, ISO14001-1996

Size: CustomizableSound Absorption: Good Sound Absorption

Temperature Rating: 2300°F
 Temperature Resistance: Up To 1260
 Thermal Conductivity: 0.03-0.05 W/m-K
 Thickness: Various Thickness
 Width: Various Widths



More Images





Product Description


Product Description of Rongsheng Refractory Supply Lightweight Calcium Silicate Board At Factory Direct Sale Price Rongsheng calcium silicate insulation board, crafted from xonotlite and reinforced fibers, is completely asbestos-free and harmless to human health. This high-performance, energy-saving product boasts exceptional thermal stability and corrosion resistance while offering convenient installation. With a maximum temperature resistance of 1000°C, it's ideal for industrial furnace insulation.



Features of Rongsheng Factory Lightweight Calcium Silicate Board 1. Moisture-proof, fire-resistant and corrosion-resistant 2. Good elasticity, high tensile strength and low shrinkage 3. Low thermal conductivity, low heat storage and long service life

- 4. Light weight, machinable and sound insulation

Application of Calcium Silicate Insulation Board
Calcium silicate board for thermal insulation is widely used in thermal insulation, fire and sound insulation of equipment pipelines, walls and roofs in the fields of electric power, metallurgy, petrochemical, construction, and ships. Calcium silicate board for decoration is used for indoor partition and ceiling of buildings.It is a new type of building and industrial plate with excellent performance.



Product Specification of Lightweight Calcium Silicate Board

Calcium Silicate Products	RS-CS6	550	R
Density(KG/M3)	170/220/	280	17
Compressive strength(MPa)	≥0.35		
Thermal conductivity (average temperature 70) W/m.k	0.052	2	
Maximum temperature()	650		
Linear shrinkage(%)	≤2(650,3	Bhrs)	≤2
It can be processed into a shell and tube or curved panels according to customer requirements			

Packing & Shipping of 2024 Hot Sale Calcium Silicate Board



● Research Institute Co., Ltd

♦ +86-18538509097 ☑ Jackyhan2023@outlook.com ② bricksrefractory.com

11th Floors, Building 6, China Central Electronic Commerce Port, Daxue Road, Zhengzhou, Henan, China